

INDEX

Volume 37

Basionyms and synonyms appear in italics. Page numbers in italics indicate the presence of illustrations.

ACACIA PYCNANTHA and soil compaction study:
influences of level of artificial soil
compaction 82
on
amended clay loam 87, 89
dry bulk density 84, 86
root penetration 86, 90
shoot dry matter 84
development of shoots in treated clay loam 88
total porosity 86
rate of oxygen diffusion 83
moisture content in improved clay loam 84,
87, 87
moisture content in straight clay loam 86,
87
methods of artificial compaction 83, 84
soil strength as a limiting physical attribute 84
methods to reduce soil strength 83
compacting methods of straight clay 82

Aglaia iloillo 62
Agrostideae 213
Agrostis 213, 214
(Agrostis) 12, 218
debilis 220
neodebilis 220
pleiophylla 218
rigidula 215
tenuis 219
zenkeri 219
Amorphophallus 199, 200
Anisachne 214
gracilis 218, 219
Aniselytron 213, 214, 215, 222
(and Deyeuxia) index of collectors 222
agrostoides 214, 215, 216, 221
tabulated measurements of *Santos* 7854,
220
clemensae 217, 218
epileuca 222
japonicum 216, 218
milioides 217, 218
petelotii 218
pseudopoa 217, 218
treutleri 215, 216, 217
diagnoses of collections 217, 218
Japanese form 223
var. *japonica* 217
var. *milioides* 217
var. *treutleri* 217
Antelaea Gaertn. 54
azadirachta 62
canescens 62
javanica 57
Antheeischima 1, 3
excelsa, 12
Anthelia ('*Anthelea*') *canescens* 62
Anthurium 199
Artagrostis 213
Arum colocasia 200
esculentum 200

Aulacolepis 213, 214, 215
agrostoides 216
var. *formosana* 216
clemensae 214, 217
epileuca 214, 222
japonica 216, 218
milioides 214, 217
petelotii 214, 218
pseudopoa 214, 217
treutleri 215, 216, 217, 218
var. *japonica* 216
var. *milioides* 217
AXILLARY BUDS
Acacia auriculiformis 68
Anacardium occidentale 74
Annona muricata 68, 74
reticulata 68, 74
squamosa 68, 74
Artocarpus 69

Bauhinia 69
Barringtonia asiatica 76
Bauhinia acuminata 75
blakeana 75
purpurera 75
Bixa orellana 70, 74
Brexia madagascariensis 77
Brownea capitella 75
grandiceps 65, 75

Callistemon citrinus 76
Calophyllum inophyllum 75
Cassia 68
bakeriana 75
fistula 75
multijuga 75
sp. (hort. variety) 75
spectabilis 75
Cinnamomum iners 75
Citrus grandis 77
Coccoloba uvifera 73
Cochlospermum religiosum 74
Coffea sp. 69
Crataeva religiosa 74
Cratoxylon formosum 74
pruniflorum 74

Dalbergia oliveri 75
Delonix regia 68, 75
Dimocarpus longan Lour. var. *malesianus* 77
Diospyros discolor 75
Dryobalanops aromatica 75
Elaeodendron quadrangulatum 74
Elateriospermum tapos 75
Erythrina fusca 75
variegata 75
Erythrophleum suaveolens 68, 70, 75
Ervatamia dichotoma 74
Eucalyptus ficifolia 73
Eugenia 69
grandis 70, 76
javanica 76

- Eugenia* *Cont.*
longiflora 76
malaccensis 76
melchii 76
Ficus 69
benamina 77
elastica 77
retusa 77
Filicium decipiens 77
Fragraea fragrans 70, 76
Gliricidia sepium 68, 75
Gnetum gnemon 75
Hibiscus tiliaceus 68, 76
Hopea mengarawan 75
Jacaranda obtusifolia HBK sp. *rhombifolia* 68, 74
Khaya grandiflora 76
Lagerstroemia speciosa 76
Lithocarpus urceolaris 68, 75
Mangifera indica 74
Melaleuca cajuputi 76
Michelia champaca 76
alba 70
Millettia atropurpurea 68, 75
Mimusops elengi 68, 77
Muntingia calabura 73, 77
Nephelium lappaceum 68, 77
 number 68-70, 74-77
Palaquium obovatum 77
Peltophorum pterocarpum 68, 70, 75
Plumeria sp. 65
acuminata 74
Podocarpus 68
koordersii 76
neriifolius 76
polystachyus 76
Polyalthia longifolia 74
Pongamia pinnata 76
Psidium guajava 76
Pterocarpus indicus 76
Rhodamnia cineria 76
Rhus succedanea 74
Salix sp. 77
Samanea saman 68, 76
Sandoricum koetjape 76
 shape 66-67, 69, 74-77
Shorea 68
curtisii 75
leprosula 75
sumatrana 75
 size 70, 74-77
Spathodea campanulata 68, 74
Tabebuia pallida 68, 70, 74
rosea 784
spectabilis 74
Terminalia catappa 74
Triplaris americana 76
Vatica pallida 75
Aveneae 213
Azadirachta excelsa 62
indica A. Juss. 50, 56; 62, 63, 64
Azedara Raff. 55
speciosa 55
Azedaraca Raff. 55 and *A. amena* 55
Azedarach Dod 63
Azedarach Mill. 54
commelini 60
deleteria 55
edullis, 'edule', 62
elegans 62
excelsa 62
florens Tourn. 64
fraxinifolia 62
nigra 'nigrum' 62
odorata 60
ramiflora, 'ramiflorum' 62
recisa, 'recisum' 62
sambucina 60
sempervirens 59
 var. *australasica* 58
 var. *dubia* 57
 var. *glabrior* 55
tomentosa 62
vulgaris 55
Banisteria sericea 57
Brochoneura 121, 170
Caju *lapia* 6
Caladium 199
Calamogrostris
arundinacea var. *brachytricha* 220
brachytricha 220
brevipila 220
debilis 220
stenophylla Hand.-Maz. 222
 varia var. *longiaristata* 220
Camellia 3
axillaris 1
Caria 4
Castanopsis-Quercus forest 9
Chionanthus
Malesian spp. 209, 210, 211
 (Species)
callophyllus 210
curvicaupus sp. nov.
cuspidatus 211
elaeocarpus 209
 var. *elaeocarpus* 209
 var. *globosus* 209
insignis 209, 210
gigas 210
grandifolius comb. nov. 210
laxiflorus 211
macrocarpus 209, 210
macrocarpus sensu Kiew 210
oliganthus 211
platycarpus 210
porcatus 211
sessiliflorus 211
Chisocheton baccifera 62
patens 62
penduliflorus 62
tomentosus 58, 62
Cipadessa baccifera 50, 62
Closaschima 1, 3, 33
marginata & var. *dasyophthalma* 24, 26
lanceolata 26
obovata 26
ovalis 31, 33
 vars. *longifolia* and *minor* 33
Crema glomerata 167
Componeura 121
Colocasia 199, 200
 subf. *Lasioideae* 199
Colocasioideae 199
antiquorum 200

Colocasioideae *Cont.*

- esculenta 200 et seq.
 var. antiquorum 200
 esculenta 200
 Penins. Malaysian cultivars 199, 200
 grouping of, 200
 keys 201, 204, 205

VERNACULAR NAMES: (see under *Colocasia* esculenta); K. air 204, 205; K. banjar, 203, 204; K. bantan 205, 206; K. batang hijau 204; K. batang hitam 204; K. belang hijau 205; K. cina 204, 202; K. cincang wangi 200; K. dara 205; K. hutan 205; K. huma 205; K. kelapa 205; K. kubis 205; K. liar 205; K. lilin 205; K. minjak 203, 204; K. nibong merah 204; K. peladang 205; K. pinang 204, 206; K. putih 204; K. serakit hitam 204; K. serakit putih 204; K. tongsan 205; K. udang 202, 204; K. songket hijau 205, K. songket ungu 205

Cyrtoosperma 199

- Deyeuxia 213, 214, 219
 abnormis 213, 218, 219
 avilis 213
 brachytricha **comb. nov.** 220
 debilis **comb. nov.** 220
 epileuca 214, 222
 gunniana 213
 mazettii **nom. nov.** 222
 pseudopoa 217
 pusilla 213
 sylvatica var. *brachytricha* 220
 treutleri 216
 zenkkeri **comb. nov.** 219, 222
 Dialyanthera 121
 Dieffenbachia 199
 Dipterospermum 4
 Dysoxylon excelsum 62
 nutans 62
 parasiticum 62

EMBRYOLOGY of *Garcinia mangostana*:

- anther development 94
 embryo development 98, 99, 101
 embryo-sac type 96
 endosperm formation & type 96, 98, 102
 floral & fruit morphology 94, 95
 fruit morphology 94
 fruit season in Malaysia 93
 megagametophyte 96, 99
 megasporangium 96, 99
 megasporogenesis 96, 99
 microsporangium 94, 97
 microgametophyte 94, 97
 microsporogenesis 94, 97
 ovule characters 191
 phenology 183
 pollination and fertilization 96
 seed coat development 98, 101
 seed formation 96, 102
 seed germination 100
 seedling morphology 95

- Endocomia 116, 118, 119, 120, 124, 130,
 macrocoma 119

Eucalyptus savanna 56

Eucalyptus-Gironniera forest 9

Fraxinus ornus 63

Garcinia mangostana see EMBRYOLOGY

Gleichenia scrub 42

Gordonia 1, 2, 3, 9

in Malesia

index to scientific names 47

key to Malesian species 4-6

VERNACULAR NAMES: adekelp 9, alimp 9, bado 9, baif 9, benelemonde 9, bwabwa 9, damak 24, dapiri 9, dimi 9, djirok bantjoh 31, entuyut, 36, iniaili 9, kawal-gugn 9, kayu patjat 31, kayu kelat asam 41, kayu kelat putih 41, kelak merah 28, kerkebo 9, kilimdan 9, kimkaroo 9, koka kabir 9, kuku 9, la, naningning 9, obah 11, oytungo 9, palembang putih 31, penagit 25, rawali batu 11, eik 9, samak pulut 28, samak samak 28, sawak pulot, 41, sjioe 9, tawan 9, timor 9, titup 24, titup tiup 24, tiup 24, toani 9, tokoi 9, totona rombo 9, tugera 9, ubar lilim 31.

(SPECIES)

- acuminata 12
 amboinensis 6, 7, 9, 46, 47
 benguetica **syn. nov.** 21, 23
 borneensis **sp. nov.** 2, 3, 8, 11
 brassii **syn. nov.** 6
 brevifolia 45
 concentricatrix **syn. nov.** 26, 28
 densiflora **syn. nov.** 42, 43
 excelsa 1, 2, 10, 10, 12
 var. macrocarpa 12
 var. sincapuriana 39
 excelsa *auct. non* Blume 33
 fragrans 21
 grandiflora 12, 13
 grandifolia 11
 grandis King 39
 havilandii 14, 15
 hirtella 16, 16
 imbricata 2, 17, 18, 39
 integerrima **comb. nov.** 19, 20
 lasianthus 1, 3
 lanceifolia 45, 45
 lobbii 46
 luzonica 21, 22, 23, 45
 variants of, 23
 maingayi 2, 23, 25, 39
 marginata 24, 26
 multinervis 2, 26, 27, 36
 oblongifolia 2, 11, 15, 28, 29
 ovalis 1, 2, 3, 30, 31, 33
 forms of, 33
 papuana **syn. nov.** (& incl.
 vars. acuminata & montana) 6
 penangensis 32, 33
 polisana 2, 23, 34, 35
 rumphii 6
 sarawakensis **sp. nov.** 2, 3, 36, 37
 scortechinii 3, 38, 38
 singaporeana 2, 39, 40
 sp. of Kobuski 6
 sp. of Burkill 21, 23
 subclavata *sensu* Burkill 21, 23
 taipingensis 41, 43
 vulcanica **comb. nov.** 2, 19, 42, 44
 var. vulcanica 42
 var. buxifolia **stat. nov.** 43
 welbornei 21

Gymnacranthera 119, 120

- Haemocharis* 3, 4
amboinensis 6
aromatica **syn. nov.**
 (& excl. vars. minor &
 longifolia) 31, 33
buxifolia 43
integerrima 19
aromatica **syn. nov.** (&
 excl. *syn. Lapl. semi-serrata*
 Miq.) 31, 33
marginata 24
ovalis 31
serrata **syn. nov.** 19
 'serrata' 21
subintegerrima **syn. nov.** 31
vulcanica 42

Heath & peat swamps forests 134

Heteropterys laurifolia 57

Heynea trijuga 62

- Horsfieldia* Willd. 115, 116, 118, 119, 120, 121,
 122, 123, 124, 170
 distribution, 136, 137

VERNACULAR NAMES:

- Amol 171, Bolong 171, Bolouchi 171,
 Con na ham 175,
 Lan ham 175, Malaboda 168; Me Tiong 175,
 Luat nok 179,
 Irie gaga 168; Pandekach'opang 171, Ruk 168;
 Rukghedhi 168; Lan Ham 175, Siltui 171,
 Tjampaka se'long 168

Sect. *Bivalves* Sncl. 127

- Sect. *Horsfieldia* 126, 127, 136,
 Sect. *Irya* 120, 121, 124, 126, 127, 128, 136, 137
 subsect. *Euirya* Warb. p.p. (incl. *H. irya*) 127,
 130
 subsect. *Trivalves* pp. (excl. *H. irya*) 130, 132,
 134

Sec. *Iryaghedhi* 121

- Sect. *Pyrhosa* 120, 121, 124, 126, 127, 128,
 130, 132, 134, 136, 137
 subsect. *Bivalves* Warb. incl. ser. *Smithii* &
 ser. *Globularia* 127, 128
 subsect. *Eupyrhosa* 130

Sect. *Orphanthera* Warb. 126, 132Sect. *Trivalves*

- subsect. *Orphanthera* (Warb.) Sincl. 126
 subsect. *Trivalves* 132

(GROUPING OF SPECIES):

- affinis*-gp, spp. 61-67, 133
amygdalina-gp, spp. 2-5, 132, 125
carnosa-gp, sp. 69, 133
crassifolia-gp, sp. 68, 133
fulva-gp, spp. 52-54, 132
glabra-gp, spp. 97-100, 132, 133, 135
grandis-motleyi-gp, spp. 56-60, 133
clavata-gp, spp. 21-23, 130, 133
helwigii-gp, spp. 42-45, 130
irya-gp, sp. 6: 128
laevigata-gp, spp. 24-41, 130
pallidicaula-group, spp. 47-50, 132, 133, 134
parviflora-gp, spp. 7-16, 128
polyspherula-gp, spp. 71-82, 132, 134, 135
sabulosa-gp, sp. 46, 132
sterilis-gp, spp. 70, 134
triandra-gp, sp. 51, 133

Grouping of Species Cont.

- sessilifolia*-gp, sp. 55, 132
 spp. 83-93-gp, 134
xanthina-gp, spp. 94-96, 134

(SPECIES)

- affinis* 125, 133, 135
ampla 119, 130
ampliformis 119, 122, 130, 131
amplomontana 124, 135
amygdalina 119, 128, 136, 172, 176, 177
 var. *amygdalina* 177, 178, 179
 var. *lanata* de Wilde **var. nov.** 129, 177, 179
androphora 124, 134, 135
angularis 120, 127, 130, 131, 136
ardisiifolia 121, 129
aruana 124, 130, 131
atjehensis 125, 131, 133
australiana 129
basifissa 120, 130, 131
basifissa 125, 132, 133, 134, 135
brachiata 118, 134, 135
bracteosa 177
carnosa 125
clavata 120, 127, 129
coriacea 125, 137
corrugata 125, 130, 131
costulata 125, 137
crassifolia 120, 13, 135, 136
crux-melitensis 117, 120, 121, 129
decalvata 121, 130, 131
disticha 118
endertii 125, 133, 134, 135
flocculosa 125, 133, 135
fragillima 125, 134, 135
fulva 125, 131, 133
glabra auct. non (Bl.) Wall. 177
glabra (Bl.) Warb. 119, 121, 127, 130, 134,
 136, 175, 177, 178, 179
 var. *glabra* 137
 var. *javanica* 137
grandis 125, 133, 135
gracilis 125
hainanensis 170, 171, 172
hellwigii 125
 var. *hellwigii* 131
hirtiflora 125, 134, 135
inflexa 124, 127, 129
iriana 124, 130, 131
irya 116, 118, 120, 121, 122, 126, 127, 128, 129,
 130, 133, 136, 169, 170
 distribution map 137
 distribution 137
iryaghedhi 117, 119, 122, 123, 127, 129, 132, 136,
 167
kingii 122, 129, 170, 171, 172, 173
laevigata 116, 119, 122, 130, 131, 136
lancifolia 121, 125, 130, 131
laticostata 125, 135
leptantha 125, 131
longiflora de Wilde **sp. nov.** 128, 129, 132, 136
macilenta 125, 135
macrocoma 116, 118, 124, 130
macrocoma s.l. 120, 124, 172
macrocoma-complex 116
macrothyrsa 125, 137
majuscula 125, 135, 137
moluccana 127
 var. *moluccana* 129
montana 125, 133, 135
motleyi 125, 133, 135

Species Cont.

nervosa 125, 135
 obscura 120, 134, 137
 obscurinervia 124, 129
 obtusa 125, 135
 odorata 124, 167
 olens 124, 127, 129, 136
 oligocarpa 118, 135
 palauensis 124, 128, 129
 pallidicaula 118, 122, 133
 var. pallidicaula 131
 pachycarpa 125, 130, 131
 pachyrachis 125, 135
 parviflora 116, 119, 120, 121, 127, 129
 paucinervis 125, 135
 parviflora 116, 119, 120, 121, 127, 129
 paucinervis 125, 135
 penangiana 125, 137
 pilifera 125, 131
 polyantha 116
 polyspherula 121, 122
 var. polyspherula 135
 prunoides 177
 psilantha 125, 130, 131
 pulcherrima 125, 133, 135
 pulverulenta 120, 130, 131, 132
 punctata 125, 134, 135, 137
 punctatifolia 119, 122, 137
 ralunensis Warb. 125, 131, 132
 reticulata 125, 133, 135
 ridleyana 125, 134, 135
 rostrata 120
 rufo-lanata 125, 135
 sabulosa 118, 119, 123, 132
 samarensis 124, 129
 schlechteri 124, 130, 131
 sepikensis 122, 127, 129, 136
 sessilifolia 119
 sinclairii 122, 130, 131
 smithii 118, 128, 129
 sparsa 125, 131
 spicata 118, 119, 129
 splendida 122, 135
 squamulosa 120, 122, 129
 sterilis 120, 130, 132, 133, 134, 135
 subalpina 125, 178
 subsp. subalpina 137
 subsp. kinabaluensis 160
 subtilis 124, 130
 var. rostrata 120
 var. subtilis 122, 131
 sucosa (King) Warb. 118, 133
 subs. bifissa 133
 subsp. sucosa 131
 superba 125, 130, 131, 133
 sylvestris 117, 119, 127, 130, 129, 132, 170
 talaudensis 129
 tenuifolia 125, 135
 tetratypala 170, 171, 172
 thorelii 118, 120, 122, 128, 129
 tomentosa 125, 134
 triandra 120, 130, 131, 133
 tristis 125, 131
 tuberculata 121, 130, 131
 valida 125, 134, 135
 wallichii 122, 132, 133, 135, 170
 whitmorei 119, 133
 xanthina 118
 subsp. xanthina 137

Hypericum lasianthus 1

Jacaranda fraxinifolia 61

Knema 117, 119, 120, 122, 123
plumulosa 172

Koelreuteria elegans 62

Laplacea 1, 3, 4

amboinensis 6

aromatica syn. nov. 31, 33

incl. vars minor & longi-

folia 31, 33

buxifolia 43

integerrima 19

marginata 24

ovalis 31

sarasini 46

semiserrata 33

serrata syn. nov. 19

sepeciosa 1

subintegerrima syn. nov. 31, 33

vulcanica 33, 42

Lasianthus Adans. 1, 3

Leptospermum scrub 19

Lignum mucosum 6

Lindleya 3

Linociera

beccarii 209, 211

callophylla 210

cuspidata sensu Merril (non Kiew) 211

elaeocarpa 209

insignis pp. 209, 210

grandifolia 210

macrocarpa 209

palludosa 210

Malpighia dubia 57

Melia 49 *et seq.*, 53, 54, 55

COMMON/VERNACULAR NAMES:

abor pareiso & arbor sancta 50; Azadiracht 63;
 Azadraxt (also azadiraxt) 50; Azedarach 50;
 Azedaraeth 50; bead-tree 50, 59, 63;
 Chinaberry 59; kirikohomba (form of Persian)
 Lilac) 63; k'u-lian 52; Mana Ash (= *Fraxinus*
ornus) 63; mindi kechil 50, 59, 63; neem or
 neem tree 50, 56, 63, see also *Azadirachta*
indica; panukohumba 63; Persian lilac 50, 51,
 53, 54, 58, 59, 60, 63, 64, see also under *Melia*;
 azedarach var. *glabrior*, forms of, 58; Texas
 Umbrella Tree, 51, 54, 61, see also under *Melia*
 azedarach cv. *Umbraculifera*; To sedan 51,
 52, 59; White Cedar 53, 57-58, tropical
 Australian forms of, 49, 53; (is) zanzaliqu 50

(SPECIES)

angustifolia 52, 60

argentea 57

arguta 60

australasica 58

australis 57

azedarach 49

azadirachta L. 50, 62, 63

azedarach L. 50, 52, 53, 54; 56, 63

lectotype proposed 65

azedarach sensu Blanco 58

azedarach sensu Lour. 60

azedarach sensu stricto 59

azedarach

cultivars 61

cultivars of wild trees 57-60

Chinese, names of, 54, 59

Indian, names of, 54, 59, 60

Common Vernacular Names *Cont.*

cv. *Floribunda* 61
 cv. *Umbraculifera* 61
 ecology of wild trees 56;
 systematic arrangement 55;
 past & present uses 56 *see also* under *Melia*
japonica
 toxic fruits of, 52, 60
 var. *acuminatissima* 50; 60
 var. *australasica* 49, 53; 58
 var. *cochinchinensis* 53; 58
 var. *floribunda* 61
 var. 'gigantea' 58
 var. *glabrior* 53, 55
 var. *glandulosa* 53; 58
 var. *incisa* 50, 60
 var. *japonica* 59
 var. *javanica* 53, 58
 var. *sambucina* 60
 var. *semperflorens* 59
 var. *sempervirens* 51, 52; 59
 var. *squamulosa* 53; 58
 var. *subtripinnata* 51; 60
 var. *toosendan* 59
 subvar. *toosendan* 59
 var. *umbraculifera* Knox 61
 var. *umbraculiformis* Hort. 61
 f. *albiflora* 59
 f. *umbraculifera* Knox 61
baccata 62
baccifera 62
birmanica 49, 58
bogoriensis 49, 58
bombolo 53
bukayun 60
bukheim 60
candollei 49, 57
chinensis 59
cochinchinensis 60
commelinii 60
composita 49, 57
 comp var. *biglandulosa* 58
 comp var. *cochinchinensis* 49, 58, 60
dubia 49, 53, 57
elegans 62
baccifera 62
excelsa 62
flaccida 58
floribunda 51, 61
 var. *sempervirens* L. 51
florida 55
fraxinifolia 62
guineensis 52, 60
hasskarlii 59
indica (A. Juss.) Brandis 62
iloilo 62
integerrima 62
japonica G. Don 59
 var. *albicans* 59
 var. *albiflora* Mak. 59
 var. *semperflorens* Mak. 59
 var. *toosendan* 59
japonica Hassk. 52, 59
cited in Japanese poetry 52
past economic uses in China 52
javanica 59
koetjape 62
latifolia 62
lobata 60
montana 62
neilgherrica 62

orientalis 60
parasitica 62
parviflora 62
pendula 62
penduliflora 62
pinnata 62
pubescens 62
pumila 62
robusta 49, 57
sambucina 50, 60
sempervirens (L.) Sw. 59
sempervirens sensu Roxb. 60
 'sempervirens' 52
superba 49, 57
tomentosa Roxb. 62
tomentosa sensu Miq. 58
toosendan 52, 59
 var. *semperflorens* 52
 f. *albiflora* 52
 (hybrid) subvarieties *japonica* & *toosendan*
 subvar. *intermedia* 52
volkensii 53

Melica latifolia 62

Milium 214
trentieri 216

MULTIPLE AXILLARY BRANCHING at
nodes of *Symingtonia populnea*:

Attim's Model compared 105
 development of higher order axillary lateral
 meristems 107
 factors influencing 105
 frequency based on vertical orientation 106
 frequency and pattern of branching between
 leader shoots and lower limbs 109
 compared with *Acer saccharum* 109
 on apex of main axis 107
 on main axis 106
 vascular tissue in transv. sections 108
 leader shoots branching pattern 107
 twice-folded stipules 106

Munronia neilgherrica 62
pinnata 62
pumila 62

Myristica 119, 120, 122
 Sect. *Caloneura* 130
 Sect. *Eumyristica* 124, 126, 130,
 subsect. *Horsfieldia* 126
 Sect. *Horsfieldia* 126, 127
 Sect. *Irya* Hook.f. & Th. 120, 121, 124, 127
 Sect. *Irya* auct. p.p. 126, 130
 Sect. *Odorata* Willd. 126
 Sect. *Pyrrhosa* Bl. 124, 126, 130

(SPECIES)

amgydalina 177
floribunda 177
glabra auct. non Bl. 177
glabra Bl. 130
glomerata Miq. 167
glomerata Thunb. 167
horsfieldii ("horsfieldia") Bl. 126, 127, 167
irya 127
iryaghedhi 167
javanica 127

Species *Cont.*

kingii 170
kurzii 177
notha auct. non Wallich 167
superba 130

Nabiasodendron 2, 4

Nephelium lappaceum *see* REPRODUCTIVE BIOLOGY

Nothofagus forest 9

Olea platycarpa 210

OLEACEAE POLLEN OF MALESIAN SPECIES: 225 *et seq.*

material examined 230
 tables 226, 228, 229

(TAXA)

Caprifoliaceae 225
 Celastraceae 225
Chionanthes 225, 226, 229
 enerve 226, 228
 pluriflorus 226, 227, 228
 ramiflorus 225, 227
 "wild spp." 229
 retusus 226, 228, 229
 virginicus 226

Forsythia 226, 229
Fraxinus 225, 228

Jasminum 225, 226, 229
 callophyllum 228
 grandiflorum 229
 sambac 229

Ligustrum 225, 228
 confusum 225, 227

Myxopyrum 225, 226, 229
 coriaceum 226, 227
 ovatum 225, 226, 227, 228

Neoaulacolepis 214, 215
clemensae 217
japonica 216
petelotii 218

Nyctanthes 225, 226, 229
 arbor-tristis 225, 229

Olea 225, 226, 229
 brachiata 226, 227, 228
 decussata 225, 228
 paniculata 226, 228
Osmanthus 228
 scortechinii 226
Schrebera 229
Syringa 226
Verbenum 225

Orthanthera 170

Parkia biglobosa 52
Phelima noronha 167
Philodendron 199
Pistice 199
Ploiarium oblongifolium 28, 31

Poa 213, 214
milioides 217
papuana 222
wiselii 222

Polyspora 1, 3

Pycnanthus 170

Pyrrhosa 124
horsfieldii 67
odorata 167

Raphidophora 199

Rennellia in the Malay Peninsula 193, 194
 198

key to species and varieties 195
 key to distinguish from *Morinda* 193

(SPECIES NAMES)

elongata 193, 194, 195, 198
 'longiflora' 198
morindiformis 197, 198
paniculata K. & G. 193, 195, 196
 var. *condensa* var. nov. 195, 196
 var. *paniculata* 195, 196
speciosa 193, 195, 196
speciosa sensu Corner p.p. 195, 196, 197
speciosa var. *elongata* 193, 195
 species 193, 195

REPRODUCTIVE BIOLOGY of *Nephelium lappaceum*:

anther development 184
 embryo development 186, 189
 endosperm development 187
 floral morphology, 182, 183
 fruit:
 formation of flesh 186, 189, 191
 production 190
 heterostyly 190
 megagametophyte 184
 megasporogenesis 184
 microsporangium 182
 microgametophyte 182
 microsporogenesis 182
 micropyle formation 185
 ovule characters 191
 ovule development 185, 186
 phenology 183
 pollen germination 185
 pollen grains, degeneration 191
 pollination (self) not possible 190
 pollination and fertilization 187
 seed coat and seed flesh development 186, 189, 191
 seed germination 190
 sexuality of 190
 viable pollen 190

Sandoricum koetjape 62, 64

Schima brevifolia 45
excelsa 2, 12
superba 46
wallichii ssp. *noronhae*
 var. *noronhae* 47

Scindapsus 199

Simplicia 213
laxa 213, 214

Spathiphyllum 199

Symingtonia populnea *see* MULTIPLE AXILLARY
BRANCHING

Syngonium 199

Tamarindus woodland 56

Thysanolaena latifolia 62
maxima 62

Toona sereni 62

Trichilia connaroides 62

Trichomanes:
minutum 111, 113
minutum-group 112

Trichomanes *Cont.*

motleyi 111
proliferum 111, 112, 113
first record for Singapore 111
morphological notes 112

Turraea pubescens 49
virens 49

Typhonium 199

Vitis vinifera 54

Xanthosperma 199

Zantedeschia 199

Zederachia 54